

# Electrolux Caravan Replacement Models

Old model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)	Replaced by model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)	Replaced by model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)
<b>RM 122</b> (LU)	<b>12.1986</b>	28	586*x380x434 * Height 662 mm incl. upper grill for inner ventilation	<b>RM 123E</b> (LU)	<b>12.1992</b>	30	659x380x400 -electronic ignition-	<b>RM 4181M</b> (DES)	-	40	617x401x451 -electronic ignition-
<b>RM 180</b>	<b>06.1996</b>	45	580x425x445 -piezo ignition-					<b>RM 4180</b> (DES)	-	40	617x401x451 -piezo ignition-
<b>RM 181</b>	<b>06.1996</b>	45	540x465x445 -piezo ignition-					<b>RM 4181M</b> (DES)	-	40	-electronic - ignition-
<b>RM 182</b>	<b>06.1996</b>	41	640x425x455 -electrical ignition-					<b>RM 4185M</b> (DES)	-	40	AES II-System atomic energy selector (D+)
<b>RM 184</b> (only Westfalia)	<b>06.1996</b>	41	620x425x445								
<b>RM 185</b> (KTL)	<b>06.1996</b>	41	620x425x445								
<b>RM 200</b> (DES)	<b>06.1993</b>	60	628x486x476 -piezo ignition-	<b>RM 4200</b> (DES)	-	60	618x486x474 -piezo ignition-	<b>RM 4210</b> (DES)	-	60	618x486x474 -piezo ignition-
<b>RM 201</b> (DES)	<b>06.1993</b>	60	606x486x480 -piezo ignition-					<b>RM 4203</b> (DES)	-	60	609x486x479 -piezo ignition-
<b>RM 212</b> (LU)	<b>12.1993</b>	60	615x485x472 -piezo ignition-	<b>RM 4200</b> (DES)	-	60	618x486x474 -piezo ignition-	<b>RM 4210</b> (DES)	-	60	618x486x474 -piezo ignition-
<b>RM 270</b> (DES)	<b>06.1993</b>	70	821x486x476 -piezo ignition- -wheel ciut out-	<b>RM 2251</b> (DES)	<b>06.1993</b>	70	821x486x476 -piezo ignition- -wheel cut out-	<b>RM 4230L</b> (DES)	-	70	821x486x474 -piezo ignition- -wheel cut out-

Old model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)	Replaced by model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)	Replaced by model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)
RM 275 (DES)	06.1993	70	821x486x476 -electronic ignition-					RM 4261LM (DES)	-	70	821x486x474 -electronic ignition-
RM 285 (DES)	06.1993	70	821x486x476 AES					RM 4265LM (DES)	-	70	821x486x474 -AES II- (D+)
RM 2250 (DES)	06.1993	70	821x486x476 -electronic ignition- - wheel cut out-					RM 4231 (DES)	-	70	821x486x474 -electronic ignition- -wheel cut out-
RM 2251 (DES)	06.1993	70	821x486x476 -piezo ignition- -wheel cut out-					RM 4230 (DES)	-	70	821x486x474 -piezo ignition- -wheel cut out
RM 2253 (DES)	06.1993	90	821x486x536 -electronic ignition-	RM 4361 (DES)	-	89	821x486x537 -electronic ignition-	RM 6361 (DES)	-	89	821x486x541 -electronic ignition- -manual energy selector 1knob-
RM 2254 (DES)	06. 1993	90	821x486x536 -piezo ignition-	RM 4360 (DES)	-	89	821x486x537 -piezo ignition-	RM 6360 (DES)	-	89	821x486x541 -piezo ignition- -manual energy selector 1knob-
RM 2260 (LU)	12.1993	70	821x486x485 -electrical ignition- -wheel cut out-					RM 4231 (DES)	-	70	821x486x474- -electrical ignition- -wheel cut out-
RM 2262 (LU)	12.1993	70	823x486x485 -piezo ignition- -wheel cut out-					RM 4230 (DES)	-	70	821x486x474 -piezo ignition- -wheel cut out-

Old model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)	Replaced by model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)	Replaced by model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)
<b>RM 2266</b> (LU)	<b>12.1994</b>	77	823x486x485 -electronic ignition-	<b>RM 4271</b> (DES)	-	77	821x486x <b>539</b> -electronic ignition-	<b>RM 6271</b> (DES)	-	77	821x486x <b>541</b> -electronic ignition- -manual energy selector 1knob-
<b>RM 2267</b> (LU)	<b>12.1994</b>	77	823x486x485 -electronic ignition-	<b>RM 4271</b> (DES)	-	77	821x486x <b>539</b> -electronic ignition-	<b>RM 6271</b> (DES)	-	77	821x486x <b>541</b> -electronic ignition- -manual energy selector 1knob-
<b>RM 2268</b> (LU)	<b>12.1994</b>	77	823x486x485 -piezo ignition-	<b>RM 4270</b> (DES)	-	77	821x486x <b>539</b> -piezo ignition-	<b>RM 6270</b> (DES)	-	77	821x486x <b>541</b> -piezo ignition- -manual energy selector 1knob-
<b>RM 2281</b> (DES)	<b>06.1993</b>	90	821x486x476 -electrical ignition-	<b>RM 4281</b> (DES)	-	81	821x486x474 -electrical ignition-				
<b>RM 2280</b> (DES)	<b>06.1993</b>	90	821x486x476 -piezo ignition-	<b>RM 4280</b> (DES)	-	81	821x486x474 -piezo ignition-				
<b>RM 2285</b> (DES)	<b>06.1994</b>	90	821x486x474 -AES-	<b>RM 4285</b> (DES)	-	81	821x486x474 -AES II- (D+) (DES)				
<b>RM 2290</b> (LU)	<b>01.1994</b>	90	826x486x535 -electrical ignition- -manual energy selector 1knob-	<b>RM 4365</b> (DES)	-	89	821x486x <b>539</b> -AES II- (D+)	<b>RM 6365</b>	-	89	821x486x <b>541</b> -AES II- (D+)

Old model	Discontinued dates	Capacity (Ltr)	Refrigerator measurements HxWxD(mm)	Replaced by model	Discontinued dates	Capacity (Ltr)	Refrigerator measurements HxWxD(mm)	Replaced by model	Discontinued dates	Capacity (Ltr)	Refrigerator measurements HxWxD(mm)
RM 2291 (LU)	01.1994	90	821x486x535 -electrical ignition-	RM 4361 (DES)	-	89	821x486x539 -electrical ignition-	RM 6361 (DES)	-	89	821x486x541 -electrical ignition- manual energy selector 1knob-
RM 2292 (LU)	01.1994	90	821x486x535 -piezo ignition-	RM 4360 (DES)	-	89	821x486x539 -piezo ignition-	RM 6360 (DES)	-	89	821x486x541 -piezo ignition- manual energy selector 1knob-
RM 2601 (MO)	12.1997	170 (35)	1300x547x627 -piezo ignition- -frozen food compartment-	RM 2610 (MO)	07.1998	170 (35)	1321x585x627 -electronic ignition-	RM 4701 (MO)	-	165 (36)	1595x525x545 -electronic ignition-
RM 2606 (MO)	06.1997	170 (35)	1250x580x622,5 -electronic ignition-	RM 2610 (MO)	07.1998	170 (35)	1321x585x627 -electronic ignition-	RM 4701 (MO)	-	165 (36)	1595x525x545 -electronic ignition-
RM 300A RM 300C RM 300P RM 4300 (DES)	06.1989 06.1989 06.1993 07.1996	80 80 80 80	815,5x525x536 -piezo ignition- -wheel cut out-	RM 4290 (DES)	-	86	815x525x537 -piezo ignition- -wheel cut out-	RM 6290 (DES)	-	86	821x525x541 -piezo ignition- manual energy selector 1knob- -wheel cut out-
RM 300D RM 300R (DES)	06.1989 06.1993	80 80	815,5x525x536 -electrical ignition- -wheel cut out-	RM 4291 (DES)	-	86	815x525x537 -electrical ignition- -wheel cut out-	RM 6291 (DES)	-	86	821x525x541 -electrical ignition- manual energy selector 1knob- -wheel cut out-

Old model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)	Replaced by model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)	Replaced by model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)
RM 301 (Hobby only)	07.1996	81	799x524x417 -piezo ignition-	RM 4290 (DES)		86	815x525x537 -piezo ignition- -wheel cut out-	RM 6290 (DES)	-	86	821x525x541 -piezo ignition- -manual energy selector 1knob- -wheel cut out-
RM 3210 (DES)	01.1990	60	618x486x476 -AES I-	RM 3210-1 (DES)	06.1993	60	618x486x476 -AES I-	RM 4215 (DES)	-	60	618x486x474 -AES II- (D+)
RM 3250 (DES)	06.1993	70	821x486x476 -AES I- -wheel cut out-	RM 4275 (DES)	-	77	821x486x537 -AES II- (D+) wheel cut out-	RM 6275 (DES)	-	86	821x486x541 -AES II- (D+) wheel cut out-
RM 400A RM 400C RM 400P (DES)	06.1989 06.1989 06.1993	103 " "	805,5x525x540 -piezo ignition-	RM 4400 (DES)	-	103	805,5x525x537 -piezo ignition-	RM 6400 (DES)	-	103	821x525x541 -piezo ignition- -manual energy selector 1knob-
RM 400D RM 400R (DES)	06.1989 06.1993	103 "	805,5x525x536 -electrical ignition-	RM 4401 (DES)	-	103	805,5x525x537 -electrical ignition-	RM 6401 (DES)	-	103	821x525x541 -electrical ignition- -manual energy selector 1knob-
RM 415 (DES)	06.1993	103	805,5x525x536 -AES I-	RM 4405 (DES)	-	103	805,5x525x537 -AES II- (D+)	RM 6405 (DES)	-	103	821x525x541 -AES II- (D+)

Old model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)	Replaced by model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)	Replaced by model	Discontinued dates	Capa-city (Ltr)	Refrigerator measurements HxWxD(mm)
RM 4601 (MO)	12.1999	165 (47)	1385x632x627 -electrical ignition-	RM 4501 (MO)	12.2000	135 (25)	1245x525x545 -electrical ignition-	RM 6501 (MO)	-	135 (25)	1245x525x545 -electrical ignition-
RM 4801 (MO)	12.1999	225 (47)	1541x632x627 -electrical ignition-	RM 4701 (MO)	12.2000	165 (36)	1595x525x545 -electrical ignition-	RM 6701 (MO)	-	165 (36)	1595x525x545 -electrical ignition-
RM 4605 (MO)	12.1999	165 (47)	1385x632x627 -AES II-	RM 4505 (MO)	12.2000	132 (25)	1245x525x545 -AES II- (D+)	RM 6505 (MO)	-	132 (25)	1245x525x545 -AES II- (D+)
RM 4805 (MO)	12.1999	225 (47)	1541x632x627 -AES II-	RM 4705 (MO)	12.2000	165 (36)	1595x525x545 -AES II- (D+)	RM 6705 (MO)	-	165 (36)	1595x525x545 -AES II- (D+)
RA 10 (LU)	12.1978	30	677x383x390	RM 123E (LU)	12.1992	30	659x380x400 -electronic ignition-	RM 4181M (DES)	-	40	617x401x451 -electronic ignition-
RAM 17 (KTL)	12.1970	44	712x473x470 -Piezo Igniter-					RM 4210 (DES)	-	60	618x486x474 -piezo ignition-
RAM 22 (KTL)	12.1976	40	677x440x390 -piezo ignition-					RM 4210 (DES)	-	60	618x486x474 -piezo ignition-
RAM 24 (LU)	12.1976	60	712x486x460 -piezo ignition-					RM 4210 (DES)	-	60	618x486x474 -piezo ignition-
RM 3500	?	155	993x585x627 -AES-	RM 2610 (MO)	07.1998	170 (35)	1321x585x534 -electronic ignition-	RM 4705 (MO)	-	165 (36)	1595x525x545 -AES II- (D+)
								RM 4263F (DES) only for market GB	-	70	821x486x474 -electrical ignition-